Contents

Adrogué, H.J., Madias, N.E.
Renal acidification during chronic hypercapnia in the conscious dog 520

Albers, C., see Schnell, K.F., et al. 568

Argibay, J.A., see Fischmeister, R., et al. 340

Arita, M., see Kiyosue, T. 296

Ayer, Jr., R.K., see Fischmeister, R., et al. 73

Ballantyne, D., see Richter, D.W., et al. 12

Banet, M., see Blatteis, C.M. 480

Baskin, R.J., see Burton, K. 409

Bell, L., Rutlen, D.L.
The role of the splanchnic circulation in the regulation of total intravascular volume during alpha adrenergic receptor stimulation 356

Bencsáth, P., see Szénási, G., et al. 57

Benzi, R.H., Girardier, L.
The response of adipose tissue blood flow to insulin-induced hypoglycemia in conscious dogs and rats 37

Betto, R., see Salviati, G., et al. 266

Biasia, E., see Salviati, G., et al. 266

Bilan, P.T., see Fleming, N., et al. 6

Blatteis, C.M., Banet, M.
Autonomic thermoregulation after separation of the preoptic area from the hypothalamus in rats 480

Boda, K., see Leng, L., et al. 648

Bossu, J.-L., see Dupont, J.-L., et al. 433

Boyd, C.A.R., see Shennan, D.B., et al. 60

Briggs, J.P., see Schnermann, J., et al. 237

Brocas-Randolph, M., see Fischmeister, R., et al. 340

Bührle, C.P., Scholz, H., Nobiling, R., Taugner, R.
Junctional transmission in renin-containing and smooth muscle cells of the afferent arteriole 578

Bukowski, M., see Tuganowski, W., et al. 232

Burton, K., Baskin, R.J.
Light diffraction patterns and sarcomere length variation in striated muscle fibers of *Limulus* 409

Callewaert, G., see Droogmans, G. 259

Callewaert, G., Vereecke, J., Carmeliet, E.
Existence of a calcium-dependent potassium channel in the membrane of cow cardiac Purkinje cells 424

Cannell, M.B., Lederer, W.J.
A novel experimental chamber for single-cell voltage-clamp and patch-clamp applications with low electrical noise and excellent temperature and flow control 536

Caputa, M., Feistkorn, G., Jessen, C.
Effects of brain and trunk temperatures on exercise performance in goats 184

Caratsch, C.G., see Eusebi, F., et al. 181

Carbone, E., see Marchetti, C., et al. 104

Carmeliet, E., see Callewaert, G., et al. 424

Cavalié, A., Pelzer, D., Trautwein, W.
Fast and slow gating behaviour of single calcium channels in cardiac cells. Relation to activation and inactivation of calcium-channel current 241

Cavalié, A., see McDonald, T.F., et al. 437

Champagnat, J., Jacquin, T., Richter, D.W.
Voltage-dependent currents in neurones of the nuclei of the solitary tract of rat brainstem slices 372

Chipperfield, A.R., see Shennan, D.B. 333

Chosniak, I., see Wittenberg, C., et al. 405

Clausen, T., see Kjeldsen, K., et al. 529

Cohen, S., see Lotan, I., et al. 158

Curci, T., Schettino, T., Frömter, E.
Histamine reduces Cl^- activity in surface epithelial cells of frog gastric mucosa. Suggestive evidence for ionic coupling between surface epithelial and oxyntic cells 204

Czachurski, J., see Dembowsky, K., et al. 112

Danieli Betto, D., see Salviati, G., et al. 266

Dascal, N., see Lotan, I., et al. 158

Davis, B., see Shennan, D.B., et al. 60

DeFeo, T.T., Morgan, K.G.
A comparison of two different indicators: quin 2 and aequorin in isolated single cells and intact strips of ferret portal vein 427

Defregger, M., see Paulmichl, M., et al. 367

DeHaan, R.L., see Fischmeister, R., et al. 73

Deitmer, J.W., see Ivens, I. 212

Delaporte, C., see Trautmann, A., et al. 163

Dembowsky, K., Czachurski, J., Seller, H.
Three types of sympathetic preganglionic neurones with different electrophysiological properties are identified by intracellular recordings in the cat 112

Deussen, A., Möser, G., Schrader, J.
Contribution of coronary endothelial cells to cardiac adenosine production 608

Dreyer, F., see Penner, R. 190

Droogmans, G., Callewaert, G.
Ca^{2+}-channel current and its modification by the dihydropyridine agonist BAY k8644 in isolated smooth muscle cells 259

Dudel, J., see Parnas, H., et al. 121

Dudel, J., see Parnas, I., et al. 131

Dudel, J.
Dependence of double-pulse facilitation on amplitude and duration of the depolarization pulses at frog's motor nerve terminals 449

Dupont, J.-L., Bossu, J.-L., Feltz, A.
Effect of internal calcium concentration on calcium currents in rat sensory neurones 433

Durasin, I., see Frick, A., et al. 387

Ehrenfeld, J., see Harvey, B.J. 362

Elalouf, J.-M., Roinel, N., de Rouffignac, C.
Effects of human calcitonin on water and electrolyte movements in rat juxtamedullary nephrons: inhibition of medullary K recycling 502

Eusebi, F., Molinaro, M., Caratsch, C.G.
Effects of phorbol ester on spontaneous transmitter release at frog neuromuscular junction 181

Evans, M.G., Marty, A., Tan, Y.P., Trautmann, A.
Blockage of Ca-activated Cl conductance by furosemide in rat lacrimal glands 65

Everts, M.E., see Kjeldsen, K., et al. 529

Fabritius, J., Nell, G., Loeschke, K.
Adaptation of electrolyte transport in rat large intestine after proximal resection. II. Colon after 50% jejunoilectomy combined with cecectomy 328

Fabritius, H., see Loeschke, K., et al. 323

Faix, S., see Leng, L., et al. 648

Faltus, R.E., see Gardiner, P.F. 51

Farley, J.M., Vogel, S.M., Narahashi, T.
Block of single acetylcholine-activated channels in chick myotubes by alkylguanidines 629

Faure, M., see Rajerison, R.M., et al. 285

Faure, M., see Rajerison, R.M., et al. 291

Feistkorn, G., see Caputa, M., et al. 184

Feltz, A., see Dupont, J.-L., et al. 433

Fischer, W., see Mairbäurl, H., et al. 594

Fischmeister, R., Ayer, Jr., R.K., DeHaan, R.L.
Some limitations of the cell-attached patch clamp technique: a two-electrode analysis 73

Fischmeister, R., Brocas-Randolph, M., Lechêne, P., Argibay, J.A., Vassort, G.
A dual effect of cardiac glycosides on Ca current in single cells of frog heart 340

Fleming, N., Bilan, P.T., Sliwinski-Lis, E.
Effects of a phorbol ester and diacylglycerols on secretion of mucin and arginine esterase by rat submandibular gland cells 6

Frederiksen, O., see Hansen, C.P., et al. 497

Frick, A., Durasin, I., Neuweg, M.
Effect of saline infusion on net reabsorption of endogenous sulfate relative to that of phosphate in intact and thyroparathyroidectomized rats 387

Frömter, E., see Curci, T., et al. 204

Frömter, E., see Gross, P., et al. 380

Fuchs, R., Thalhammer, T., Peterlik, M., Graf, J.
Electrical and molecular coupling between sodium and proton fluxes in basolateral membrane vesicles of rat liver 430

Fujimura, K., see Yoshida, S., et al. 544

Fukushi, Y. see Wakui, M. 587

Gardiner, P.F., Faltus, R.E.
Contractile responses of rat plantaris muscles following partial denervation, and the influence of daily exercise 51

Geisthövel, E., Ludwig, O., Simon, E.
Capsaicin fails to produce disturbances of autonomic heat and cold defence in an avian species (*Anas platyrhynchos*) 343

Girardier, L., see Benzi, R.H. 37

Glitsch, H.G., Pusch, H., Verdonck, F.
The contribution of Na and K ion to the pacemaker current in sheep cardiac Purkinje fibres 464

Glitsch, H.G., Rasch, R.
An effect of noradrenaline on resting potential and Na activity in sheep cardiac Purkinje fibres 144

Gögelein, H., Greger, R.
Na^+ selective channels in the apical membrane of rabbit late proximal tubules (pars recta) 198

Goncharevskaya, O.A., Monin, Yu.G., Natochin, Yu.V.
The influence of furosemide and Co^{2+} on electrolyte and water transport in newt distal tubule and frog skin 557

Graener, J., see Werner, R. 547

Graf, J., see Fuchs, R., et al. 430

Greger, R., see Gögelein, H. 198

Gridl, A., see Plass, H., et al. 509

Gross, P., Minuth, W.W., Kriz, W., Frömter, E.
Electrical properties of renal collecting duct principal cell epithelium in tissue culture 380

Hansen, C.P., Holstein-Rathlou, N.-H., Frederiksen, O.
BAY K8644-induced oscillations in rabbit gall-bladder transepithelial potential difference 497

Harvey, B.J., Ehrenfeld, J.
Regulation of intracellular sodium and pH by the electrogenic H^+ pump in frog skin 362

Hashiguchi, T.
A new single sucrose-gap method allowing current to be injected and the resulting potential change to be recorded 540

Hasibeder, W., see Mairbäurl, H., et al. 594

Hebisch, S., Sies, H., Soboll, S.
Function dependent changes in the subcellular distribution of high energy phosphates in fast and slow rat skeletal muscles 20

Hedemark Poulsen, J., see Smaje, L.H., et al. 492

Herold, W., see Nagel, A., et al. 600

Hise, M.K., Weinman, E.J.
Physical properties of the rat renal brush border membrane during growth 234

Hofmann, F., see Kreye, V.A.W., et al. 308

Holstein-Rathlou, N.-H., see Hansen, C.P., et al. 497

Hori, T., see Osaka, T., et al. 86

Hoshi, T., see Maruyama, Y., et al. 563

Hoshimiya, N., see Maruyama, Y., et al. 69

Humpeler, E., see Mairbäurl, H., et al. 594

Imai, M., see Kondo, Y., et al. 273

Imai, M., see Tabei, K. 279

Inoue, R., Okabe, K., Kitamura, K., Kuriyama, H.
A newly identified Ca^{2+} dependent K^+ channel in the smooth muscle membrane of single cells dispersed from the rabbit portal vein 138

Ivens, I., Deitmer, J.W.
Inhibition of voltage-dependent Ca current by concanavalin A 212

Izumi, T., see Maruyama, Y., et al. 69

Jacquin, T., see Champagnat, J., et al. 372

Janský, L., see Vybíral, S., et al. 312

Jessen, C., see Caputa, M., et al. 184

Jessen, C., see Nagel, A., et al. 600

Jordan, D., see Richter, D.W., et al. 12

Juel, C.
Potassium and sodium shifts during in vitro isometric muscle contraction, and the time course of the ion-gradient recovery 458

Kaila, K., see Vaughan-Jones, R.D. 641

Kaminaga, T., see Nakayama, T., et al. 351

Kaneko, K., see Katoh, K., et al. 1

Kangawa, K., see Kondo, Y., et al. 273

Kanosue, K., see Nakayama, T., et al. 351

Katoh, K., Kaneko, K., Nishiyama, A.
Effects of adrenergic neurotransmitter on K transport in superfused segments of rat submaxillary gland 1

Kitamura, K., see Inoue, R., et al. 138

Kiyohara, T., see Osaka, T., et al. 86

Kiyosue, T., Arita, M.
Effects of lysophosphatidylcholine on resting potassium conductance of isolated guinea pig ventricular cells 296

Kjeldsen, K., Everts, M.E., Clausen, T.
The effects of thyroid hormones on ^{3}H-ouabain binding site concentration, Na,K-contents and ^{86}Rb-efflux in rat skeletal muscle 529

Kohl, J., Koller, E.A., Kuoni, J., Mokry, L.
Location-dependent characteristics of pulmonary stretch receptor activity in the rabbit 303

Koller, E.A., see Kohl, J., et al. 303

Kondo, Y., Imai, M., Kangawa, K., Matsuo, H.
Lack of direct action of α-human atrial natriuretic polypeptide on the in vitro perfused segments of Henle's loop isolated from rabbit kidney 273

Korczyńska, I., see Tuganowski, W., et al. 232

Kreye, V.A.W., Hofmann, F., Mühleisen, M.
Barium can replace calcium in calmodulin-dependent contractions of skinned renal arteries of the rabbit 308

Kriz, W., see Gross, P., et al. 380

Kuoni, J., see Kohl, J., et al. 303

Kuriyama, H., see Inoue, R., et al. 138

Kuriyama, H., see Sumimoto, K. 173

Lang, F., see Paulmichl, M., et al. 367

Lang, F., see Rehwald, W., et al. 574

Lass, Y., see Lotan, I., et al. 158

Lea, T.J.
A comparison of the abilities of CO_2/HCO_3^-, protonophores and changes in solution pH to release Ca^{2+} from the SR of barnacle myofibrillar bundles 315

Lechêne, P., see Fischmeister, R., et al. 340

Lederer, W.J., see Cannell, M.B.536

Leitner, L.-M., Roumy, M., Ruckebusch, M., Sutra, J.F.
Monoamines and their catabolites in the rabbit carotid body. Effects of reserpine, sympathectomy and carotid sinus nerve section 552

Leitner, L.-M., Roumy, M.
Chemoreceptor response to hypoxia and hypercapnia in catecholamine depleted rabbit and cat carotid bodies in vitro 419

Leng, L., Szanyiová, M., Faix, S., Várady, J., Boda, K.
Simple fluorometric ultramicroassay for urea in tubular fluid of the kidney 648

Leser, K.H., Sigrist, G.V.M.
Application of chloride-selective microelectrodes to renal test dyes and other food or cosmetic dyes 88

Loeschke, K., Fabritius, H., Welters, H.F.
Adaptation of electrolyte transport in rat large intestine after proximal resection. I. Cecum and colon after 60% jejunoilectomy 323

Loeschke, K., see Fabritius, J., et al. 328

Lotan, I., Dascal, N., Cohen, S., Lass, Y.
ATP-evoked membrane responses in *Xenopus* oocytes 158

Ludwig, O., see Geisthövel, E., et al. 343

Lupa, M.T., Tabti, N.
Facilitation, augmentation and potentiation of transmitter release at frog neuromuscular junctions poisoned with botulinum toxin 636

Lux, H.D., see Marchetti, C., et al. 104

Madias, N.E., see Adrogué, H.J. 520

Mainwood, G.W., see Mason, M.J., et al. 472

Mairbäurl, H., Schobersberger, W., Humpeler, E., Hasibeder, W., Fischer, W., Raas, E.
Beneficial effects of exercising at moderate altitude on red cell oxygen transport and on exercise performance 594

Marchetti, C., Carbone, E., Lux, H.D.
Effects of dopamine and noradrenaline on Ca channels of cultured sensory and sympathetic neurons of chick 104

Marin-Grez, M., see Schnermann, J., et al. 237

Marty, A., see Evans, M.G., et al. 65

Marty, A., see Trautmann, A., et al. 163

Maruyama, Y., Matsunaga, H., Hoshi, T.
Ca^{2+}- and voltage activated K^+ channel in apical cell membrane of gallbladder epithelium from *Triturus* 563

Maruyama, Y., Nishiyama, A., Izumi, T., Hoshimiya, N., Petersen, O.H.
Ensemble noise and current relaxation analysis of K^+ current in single isolated salivary acinar cells from rat 69

Marshall, J.M.
The role of the glycine sensitive area of the ventral medulla in cardiovascular responses to carotid chemoreceptor and peripheral nerve stimulation 225

Mason, M.J., Mainwood, G.W., Thoden, J.S.
The influence of extracellular buffer concentration and propionate on lactate efflux from frog muscle 472

Matsuda, Y., see Yoshida, S., et al. 544

Matsunaga, H., see Maruyama, Y., et al. 563

Matsuo, H., see Kondo, Y., et al. 273

McDonald, T.F., Cavalié, A., Trautwein, W., Pelzer, D.
Voltage-dependent properties of macroscopic and elementary calcium channel currents in guinea pig ventricular myocytes 437

McDonald, T.F., see Watanabe, T. 645

Meesmann, M., see Richter, D.W., et al. 12

Messner, G., see Rehwald, W., et al. 574

Meves, H., see Simard, J.M., et al. 620

Michelson, G., see Schnell, K.F., et al. 568

Minuth, W.W., see Gross, P., et al. 380

Möser, G., see Deussen, A., et al. 608

Mokry, L., see Kohl, J., et al. 303

Molinaro, M., see Eusebi, F., et al. 181

Monin, Yu.G., see Goncharevskaya, O.A., et al. 557

Morel, F., see Rajerison, R.M., et al. 285

Morel, F., see Rajerison, R.M., et al. 291

Morgan, K.G. see DeFeo, T.T. 427

Mozhayeva, G.N., Naumov, A.P., Nosyreva, E.D.
Voltage dependent modification of sodium channel gating with water-soluble carbodiimide 31

Mühleisen, M., see Kreye, V.A.W., et al. 308

Nacházel, J., see Vybíral, S., et al. 312

Nagel, A., Herold, W., Roos, U., Jessen, C.
Skin and core temperatures as determinants of heat production and heat loss in the goat 600

Nakashima, T., see Osaka, T., et al. 86

Nakayama, T., Kanosue, K., Tanaka, H., Kaminaga, T.
Thermally induced salivary secretion in anesthetized rats 351

Narahashi, T., see Farley, J.M., et al. 629

Natochin, Yu.V., see Goncharevskaya, O.A., et al. 557

Naumov, A.P., see Mozhayeva, G.N., et al. 31

Nederstigt, L.J.A., Schellart, N.A.M.
Acousticolateral processing in the torus semicircularis of the trout *Salmo gairdneri* 151

Nedoma, J., Slavíková, J, Tuček, S.
Muscarinic acetylcholine receptors in the heart of rats before and after birth 45

Nell, G., see Fabritius, J., et al. 328

Neuweg, M., see Frick, A., et al. 387

Nishi, S., see Yoshimura, M., et al. 91

Nishiyama, A., see Katoh, K., et al. 1

Nishiyama, A., see Maruyama, Y., et al. 69

Nobiling, R., see Bührle, C.P., et al. 578

Nosyreva, E.D., see Mozhayeva, G.N., et al. 31

Ogawa, H., see Yamashita, Y., et al. 218

Okabe, K., see Inoue, R., et al. 138

Osaka, T., Hori, T., Kiyohara, T., Shibata, M., Nakashima, T.
Comparison of influences of stimulation of the Ammon's horn and subiculum to thermosensitive preoptic and septal neurons 86

Parnas, H., Dudel, J., Parnas, I.
Neurotransmitter release and its facilitation in crayfish. VII. Another voltage dependent process beside Ca entry controls the time course of phasic release 121

Parnas, H., Parnas, H., Dudel, J.
Neurotransmitter release and its facilitation in crayfish. VIII. Modulation of release by hyperpolarizing pulses 131

Parnas, H., see Parnas, I., et al. 131

Parnas, I., see Parnas, H., et al. 121

Paulmichl, M., Defregger, M., Lang, F.
Effects of epinephrine on electrical properties of Madin-Darby canine kidney cells 367

Pelzer, D., see Cavalié, A., et al. 241

Pelzer, D., see McDonald, T.F., et al. 437

Penner, R., Dreyer, F.
Two different presynaptic calcium currents in mouse motor nerve terminals 190

Peterlik, M., see Fuchs, R., et al. 430

Petersen, O.H., see Maruyama, Y., et al. 69

Plass, H., Gridl, A., Turnheim, K.
Absorption and secretion of potassium by rabbit descending colon 509

Polosa, C., see Rohlicek, C.V. 392

Polosa, C., see Yoshimura, M., et al. 91

Pusch, H., see Glitsch, H.G., et al. 464

Raas, E., see Mairbäurl, H., et al. 594

Rajerison, R.M., Faure, M., Morel, F.
Effects of temperature, ouabain and diuretics on the cell sodium and potassium contents of isolated rat kidney tubules 285

Rajerison, R.M., Faure, M., Morel, F.
Effects of external potassium concentrations on the cell sodium and potassium contents of isolated rat kidney tubules 291

Rasch, R., see Glitsch, H.G. 144

Rehwald, W., Messner, G., Lang, F.
Influence of barium on the effects of phenylalanine in proximal tubules 574

Richter, D.W., Jordan, D., Ballantyne, D., Meesmann, M., Spyer, K.M.
Presynaptic depolarization in myelinated vagal afferent fibres terminating in the nucleus of the tractus solitarius in the cat 12

Richter, D.W., see Champagnat, J., et al. 372

Rohlicek, C.V., Polosa, C.
Neural effects of systemic hypoxia and hypercapnia on hindlimb vascular resistance in acute spinal cats 392

Roinel, N., see Elalouf, J.-M., et al. 502

Roos, U., see Nagel, A., et al. 600

Rosenfeld, J., see Wittenberg, C., et al. 405

Rouffignac, C. de, see Elalouf, J.-M., et al. 502

Roumy, M., see Leitner, L.-M., et al. 552

Roumy, M., see Leitner, L.-M. 419

Ruckebusch, M., see Leitner, L.-M., et al. 552

Rutlen, D.L., see Bell, L. 356

Ruzzier, F., Scuka, M.
The effect of repetitive neuromuscular activity on the sensitivity of acetylcholine receptors 99

Salviati, G., Biasia, E., Betto, R., Danieli Betto, D.
Fast to slow transition induced by experimental myotonia in rat EDL muscle 266

Sanderson, G., Scholfield, C.N.
Effects of adenosine uptake blockers and adenosine on evoked potentials of guinea-pig olfactory cortex 25

Scarpelli, E.M., see Yee, W.F.H. 615

Schellart, N.A.M., see Nederstigt, L.J.A. 51

Schettino, T., see Curci, T., et al. 204

Schnell, K.F., Michelson, G., Albers, C.
DMO-transport in human red blood cells 568

Schnermann, J., Marin-Grez, M., Briggs, J.P.
Filtration pressure response to infusion of atrial natriuretic peptides 237

Schobersberger, W., see Mairbäurl, H., et al. 594

Scholfield, C.N., see Sanderson, G. 25

Scholz, H., see Bührle, C.P., et al. 578

Schrader, J., see Deussen, A., et al. 608

Schwarz, J.R.
The effect of temperature on Na currents in rat myelinated nerve fibres 397

Scuka, M., see Ruzzier, F. 99

Seller, H., see Dembowsky, K., et al. 112

Shennan, D.B., Chipperfield, A.R.
The dependence on chloride ions of the loop diuretic sensitive component of passive sodium efflux from human red cells 333

Shennan, D.B., Davis, B., Boyd, C.A.R.
Chloride transport in human placental microvillus membrane vesicles. I. Evidence for anion exchange 60

Shibata, M., see Osaka, T., et al. 86

Shkolnik, A., see Wittenberg, C., et al. 405

Sies, H., see Hebisch, S., et al. 20

Sigrist, G.V.M., see Leser, K.H. 88

Simard, J.M., Meves, H., Watt, D.D.
Effects of toxins VI and VII from the scorpion *Centruroides sculpturatus* on the Na currents of the frog node of Ranvier 620

Simon, E., see Geisthövel, E., et al. 343

Skøtt, O.
Calcium and osmotic stimulation in renin release from isolated rat glomeruli 485

Slavíková, J., see Nedoma, J., et al. 45

Sliwinski-Lis, E., see Fleming, N., et al. 6

Smaje, L.H., Hedemark Poulsen, J., Ussing, H.H.
Evidence from O_2 uptake measurements for Na^+-K^+-$2Cl^-$ co-transport in the rabbit submandibular gland 492

Soboll, S., see Hebisch, S., et al. 20

Spyer, K.M., see Richter, D.W., et al. 12

Sumimoto, K., Kuriyama, H.
Mobilization of free Ca^{2+} measured during contraction-relaxation cycles in smooth muscle cells of the porcine coronary artery using quin2 173

Sutra, J.F., see Leitner, L.-M., et al. 552

Szanyiová, M., see Leng, L., et al. 648

Szénási, G., Bencsáth, P., Takács, L.
Supersensitivity of the renal tubule to catecholamines in the chronically denervated canine kidney 57

Tabei, K., Imai, M.
Permselectivity for cations over anions in the upper portion of descending limbs of Henle's loop of long-loop nephron isolated from hamsters 279

Tabti, N., see Lupa, M.T. 636

Takács, L., see Szénási, G., et al. 57

Tan, Y.P., see Evans, M.G., et al. 65

Tanaka, H., see Nakayama, T., et al. 351

Taniguchi, K., see Yamashita, Y., et al. 218

Taugner, R., see Bührle, C.P., et al. 578

Thalhammer, T., see Fuchs, R., et al. 430

Thoden, J.S., see Mason, M.J., et al. 472

Thurau, K., see Wittenberg, C., et al. 405

Trautmann, A., Delaporte, C., Marty, A.
Voltage-dependent channels of human muscle cultures 163

Trautmann, A., see Evans, M.G., et al. 65

Trautwein, W., see Cavalié, A., et al. 241

Trautwein, W., see McDonald, T.F., et al. 437

Tuček, S., see Nedoma, J., et al. 45

Tuganowski, W., Bukowski, M., Korczyńska, I., Wójcik, B., Wąsik, K.
A method of measurement of longitudinal resistances in an isolated cardiac and smooth muscle preparation 232

Turnheim, K., see Plass, H., et al. 509

Ussing, H.H., see Smaje, L.H., et al. 492

Van der Kloot, W.
2-(4-Phenylpiperidine)-cyclohexanol (AH 5183) decreases quantal size at the frog neuromuscular junction 83

Várady, J., see Leng, L., et al. 648

Vassort, G., see Fischmeister, R., et al. 340

Vaughan-Jones, R.D., Kaila, K.
The sensitivity of liquid sensor, ion-selective microelectrodes to changes in temperature and solution level 641

Verdonck, F., see Glitsch, H.G., et al. 464

Vereecke, J., see Callewaert, G., et al. 424

Vogel, S.M., see Farley, J.M., et al. 629

Vybíral, S., Nacházel, J., Janský, L.
Hyperthermic effect of neurotensin in the rabbit 312

Wakui, M., Fukushi, Y.
Dual excitatory actions of acetylcholine at the neuromuscular junction in the guinea-pig vas deferens 587

Wąsik, K., see Tuganowski, W., et al. 232

Watanabe, T., McDonald, T.F.
Tetrodotoxin exerts a large frequency-dependent depression of the maximum rate of rise of action potentials in guinea pig ventricular myocytes 645

Watt, D.D., see Simard, J.M., et al. 620

Weinman, E.J., see Hise, M.K. 234

Welters, H.F., see Loeschke, K., et al. 323

Werner, J., Graener, R.
Thermoregulatory responses to cold during a 7-week acclimatisation process in rabbits 547

Wittenberg, C., Chosniak, I., Shkolnik, A., Thurau, K., Rosenfeld, J.
Effect of dehydration and rapid rehydration on renal function and on plasma renin and aldosterone levels in the black Bedouin goat 405

Wójcik, B., see Tuganowski, W., et al. 232

Yamashita, Y., Ogawa, H., Taniguchi, K.
Differential effects of manganese and magnesium on two types of slowly adapting cutaneous mechanoreceptor afferent units in frogs 218

Yee, W.F.H., Scarpelli, E.M.
CO_2 responsivity in the mouse measured by rebreathing 615

Yoshida, S., Fujimura, K., Matsuda, Y.
Effects of quinidine and quinine on the excitability of pyramidal neurons in guinea-pig hippocampal slices 544

Yoshimura, M., Polosa, C., Nishi, S.
Electrophysiological properties of sympathetic preganglionic neurons in the cat spinal cord in vitro 91

This volume includes a supplement with the abstracts of the 63rd meeting (spring-meeting) of the Deutsche Physiologische Gesellschaft, March 18–21, 1986, Berlin R1–R66

Indexed in *Current Contents*

Subject index

A

Abdominal temperature 351
Absorption 509
Acetylcholine 173, 587, 608
– receptors 99
– transport into synaptic vesicles 83
Acetylcholinesterase 83
Acid excretion 520
Acidosis 608
Acinar cells 69
– secretion 492
Acousticolateral processing 151
Acridine orange fluorescence 430
Action potential 91, 151, 645
– potential repolarization 112
Actomyosin-ADP-complexes 20
Actylcholine-activated channels 629
Acute spinal cats 392
Adenine nucleotide compartmentation 20
Adenosine 25, 158, 608
– uptake blockers 25
Adipose tissue blood flow 37
ADP binding 20
ADP complexes 20
ADP 158
Adrenergic neurotransmitter on K transport 1
β-Adrenergic receptor 1
Aequorin 427
Afferent arteriole 578
After-depolarization 112
After-hyperpolarization 91, 112
Aldosterone 380, 405
Alkylguanidines 629
Alpha adrenergic receptor stimulation 356
– – receptors 57
Amiloride 198, 285, 362, 380
Ammonia inhalation 303
Ammon's horn 86
AMP 158
Angiotensin II 578
Anion exchange 60
Anionic food dyes 88
Anions 279
Anti-cholinesterase 83
Aortic baroreceptor afferents 12
Apical cell membrane 557, 563
– membrane 198
Arginine esterase 6
Arteriole 578
ATP 20, 158, 587
ATP-evoked membrane response 158
Atria 45
Atrial natriuretic peptides 237
– – polypeptide 273
Atriopeptin II 237
Augmentation 636
Automomic nervous system 91, 392
Avian thermoregulation 343

B

$BaCl_2$ 380
BAPTA 315
Barium 190, 241, 308, 367, 437, 574
Barnacle myofibrillar bundles 315
Baroreceptor denervation 356
Basolateral cell membrane 291
– membrane vesicles 430
BAY K 8644 497
Benzodiazepines 25
Bicarbonate reclamation 520
Bioluminescent indicator aequorin 427
Birth 45
Black Bedouin goat 405
Blood flow 37
– pressure 225
– temperature 600
Body temperature control 312
– temperatures 547
Botulinum toxin 636
Br 60
Bradykinin 608
Brain temperature 184
Brainstem slices 372
Breathing frequency 343